


**HOW TO SPECIFY**



AVAILABLE CONNECTIONS	DRAIN: _____	VENT: _____
	SYPHON: _____	L.L.C.: _____
	INSPECTION: _____	
	OTHERS: _____	

STANDARD MATERIALS	
HEADS	SA-516-70
SHELL	SA-106-B/C / SA-516-70
FLANGES	SA-105
FITTINGS	SA-105
PIPE	SA-106-B/C
SUPPORTS	SA-36 / SA-285
CLOSURE	CARBON STEEL
ELEMENT	TYPE 316L S.S.

MODEL CLL-	VESSEL DIAMETER	INLET/OUTLET	150 LB. CLASS DIMENSIONS NOT FOR CONSTRUCTION					
			A	B	C	D	E	DRAIN
2-6	6-5/8" OD	2-1/2"	46	32	10	37	10	1
3-8	8-5/8" OD	3"	48	34	10	39	12	1-1/2
4-10	10-3/4" OD	4"	54	37	12	43	13	1-1/2
5-12	12-3/4" OD	5"	64	46	12	52	14	2
6-14	14" OD	6"	69	48	15	56	17	2
8-16	16" OD	8"	76	54	15	61	18	2
10-20	20" OD	10"	86	62	16	69	20	2-1/2
12-24	24" OD	12"	96	70	16	78	21	2-1/2
14-24	24" OD	14"	102	76	18	84	23	2-1/2
16-30	30" OD	16"	102	90	19	96	26	2-1/2
18-32	32" ID	18"	129	96	22	104	31	3
20-36	36" ID	20"	137	102	22	180	31	3
24-42	42" ID	24"	153	114	24	120	34	3

**NOTES:**

- 1.) DESIGNED, FABRICATED AND STAMPED IN ACCORDANCE WITH ASME CODE SECTION VIII, DIVISION I.
- 2.) SEPARATION ELEMENTS AVAILABLE IN CARBON STEEL, 304-L & 316-L STAINLESS STEEL, OPTIONAL ALLOYS UPON REQUEST.
- 3.) OPTIONAL SKIRT AND BASE, ANGLE LEGS, OR SUPPORT LUGS AVAILABLE UPON REQUEST.
- 4.) SPECIAL MATERIALS, CONFIGURATIONS, AND HIGHER DESIGN PRESSURES AVAILABLE UPON REQUEST.
- 5.) ABOVE DIMENSIONS NOT FOR CONSTRUCTION.
- 6.) ALL DIMENSIONS ARE IN INCHES.

A.S.M.E. CODE STAMPS

